

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/EP05/050334

International filing date: 27 January 2005 (27.01.2005)

Document type: Certified copy of priority document

Document details: Country/Office: EP
Number: 04001775.8
Filing date: 28 January 2004 (28.01.2004)

Date of receipt at the International Bureau: 03 March 2005 (03.03.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse



Europäisches
Patentamt

European
Patent Office

Office européen
des brevets

Bescheinigung

Certificate

Attestation

Die angehefteten Unterlagen stimmen mit der ursprünglich eingereichten Fassung der auf dem nächsten Blatt bezeichneten europäischen Patentanmeldung überein.

The attached documents are exact copies of the European patent application described on the following page, as originally filed.

Les documents fixés à cette attestation sont conformes à la version initialement déposée de la demande de brevet européen spécifiée à la page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

04001775.8

EP/05/50334

Der Präsident des Europäischen Patentamts;
im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

R C van Dijk



Anmeldung Nr.:
Application no.: 04001775.8
Demande no:

Anmeldetag:
Date of filing: 28.01.04
Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

ALTANA Pharma AG
Byk-Gulden-Strasse 2
78467 Konstanz
ALLEMAGNE

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention:
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.
If no title is shown please refer to the description.
Si aucun titre n'est indiqué se référer à la description.)

Novel salt of pantoprazole and (S)-pantoprazole

In Anspruch genommene Priorität(en) / Priority(ies) claimed / Priorité(s)
revendiquée(s)
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/
Classification internationale des brevets:

C07D401/00

Am Anmeldetag benannte Vertragsstaaten/Contracting states designated at date of
filing/Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL
PT RO SE SI SK TR LI

Novel salt of pantoprazole and (S)-pantoprazole

Subject-matter of the invention

The present invention relates to novel salts of the active compound pantoprazole. The novel salts can be used in the pharmaceutical industry for preparing medicaments.

Background of the invention

Owing to their H^+/K^+ -ATPase-inhibitory action, pyridin-2-ylmethylsulphonyl-1H-benzimidazoles, such as those known, for example, from EP-A-0005129, EP-A-0165287, EP-A-0174726 and EP-A-0268956 are of considerable importance in the therapy of disorders associated with an increased secretion of gastric acid.

Examples of active compounds from this group which are commercially available or in clinical development are 5-methoxy-2-[(4-methoxy-3,5-dimethyl-2-pyridinyl)methylsulphonyl]-1H-benzimidazole (INN: omeprazole), (S)-5-methoxy-2-[(4-methoxy-3,5-dimethyl-2-pyridinyl)methylsulphonyl]-1H-benzimidazole (INN: esomeprazole), 5-difluoromethoxy-2-[(3,4-dimethoxy-2-pyridinyl)methylsulphonyl]-1H-benzimidazole (INN: pantoprazole), 2-[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl)methylsulphonyl]-1H-benzimidazole (INN: lansoprazole), 2-[[4-(3-methoxypropoxy)-3-methylpyridin-2-yl]methylsulphonyl]-1H-benzimidazole (INN: rabeprazole) and 5-methoxy-2-[(4-methoxy-3,5-dimethyl-2-pyridylmethyl)sulphonyl]-1H-imidazo[4,5-b]pyridine (INN: tenatoprazole).

The above mentioned sulphonyl derivatives which, owing to their mechanism of action, are also referred to as proton-pump inhibitors or, abbreviated, as PPI, are chiral compounds.

Description of the related art

For the first time, the international patent application WO92/08716 describes a chemical process, which allows pyridin-2-ylmethylsulphonyl-1H-benzimidazoles to be separated into their optical antipodes. The compounds mentioned as being prepared in an exemplary manner include, inter alia, the compounds (+)- and (-)-5-difluoromethoxy-2-[(3,4-dimethoxy-2-pyridinyl)methylsulphonyl]-1H-benzimidazole [= (+)- and (-)-pantoprazole]. The international patent application WO92/08716 mentions that the optical antipodes of the pyridin-2-ylmethylsulphonyl-1H-benzimidazoles, i.e. the (+)- and (-)-enantiomers or the (R)- and (S)-enantiomers, are useful as active compounds in medicaments for the treatment of gastrointestinal disorders. For the mode of application and the dosage of the active compounds, reference is made, inter alia, to the European patent 166 287.

The international patent applications WO94/24867 and WO94/25028 claim the use of the compounds (-)- and (+)-pantoprazole for treating gastric disorders in humans. Each stereoisomer is said to have medical advantages compared to the respective other stereoisomer. The descriptions also mention a number of different possible salts of the stereoisomers, and particular preference is given to the sodium salt.

In international patent application WO94/27988, certain salts of (+)- and (-)-omeprazole and methods for their preparation are disclosed.

The international patent application WO97/41114 describes a certain process for preparing magnesium salts of pyridin-2-ylmethylsulphonyl-1H-benzimidazoles. What is described in an exemplary manner is, inter alia, the preparation of the magnesium salt of racemic pantoprazole. According to the given analytical data, the salt that is prepared is racemic pantoprazole magnesium in anhydrous form.

The international patent application WO00/10995 describes the dihydrate of the magnesium salt of racemic pantoprazole.

A common property of all of the abovementioned PPI is their sensitivity to acids (ultimately essential for effectiveness) which becomes apparent in their strong tendency to decompose in a neutral and in particular an acidic environment, giving rise to intensely coloured decomposition products. In the past, there has been no lack of considerable efforts, in spite of the sensitivity of the PPI to acids, to obtain stable and storable oral dosage forms comprising these PPI. Such stable and storable oral dosage forms (for example tablets or capsules) are now obtainable. However, the preparation of these oral dosage forms is relatively complicated, and with respect to the packaging too, certain complicated precautions have to be taken so that the dosage forms are sufficiently stable on storage even under extreme storage conditions (for example in tropical regions at high temperatures and high atmospheric humidity). Furthermore, in the past, there has been no lack of efforts to tailor the release of the PPI in the human body in the best possible manner to the respective requirements.

Description of the invention

It has now been found that the sodium salt of (-)- or (S)-pantoprazole, which is particularly preferred in the international patent application WO 94/24867, does not form a stable storage form. During various attempts to obtain stable oral dosage forms for pantoprazole and (S)-pantoprazole, it has now been found that certain salts, which have not been expressly described in the prior art, have unexpected and advantageous properties, either with regard to stability characteristics, and/or with regard to their pharmacodynamic and/or pharmacokinetic properties. On account of these properties, these new salts are expected to be useful as therapeutics in human medicine.

Accordingly, the invention provides in a first aspect the calcium, potassium, zinc and aluminium salts of pantoprazole and (S)-pantoprazole [= (-)-pantoprazole]. Preferably, the invention provides these salts in the form of their stable hydrates.

Expressly, the invention provides the compounds

calcium (S)-bis[[5-(difluoromethoxy))-2-[(3,4-dimethoxy-2-pyridinyl)methylsulphonyl]-1H-benzimidazole],

zinc (S)-bis[[5-(difluoromethoxy))-2-[(3,4-dimethoxy-2-pyridinyl)methylsulphonyl]-1H-benzimidazole],

aluminium (S)-tris[[5-(difluoromethoxy))-2-[(3,4-dimethoxy-2-pyridinyl)methylsulphonyl]-1H-benzimidazole],

potassium (S)-[[5-(difluoromethoxy))-2-[(3,4-dimethoxy-2-pyridinyl)methylsulphonyl]-1H-benzimidazole],

calcium bis[[5-(difluoromethoxy))-2-[(3,4-dimethoxy-2-pyridinyl)methylsulphonyl]-1H-benzimidazole],

zinc bis[[5-(difluoromethoxy))-2-[(3,4-dimethoxy-2-pyridinyl)methylsulphonyl]-1H-benzimidazole],

aluminium tris[[5-(difluoromethoxy))-2-[(3,4-dimethoxy-2-pyridinyl)methylsulphonyl]-1H-benzimidazole] and

potassium [[5-(difluoromethoxy))-2-[(3,4-dimethoxy-2-pyridinyl)methylsulphonyl]-1H-benzimidazole], and the hydrates of these compounds.

The salts according to the invention and their hydrates can be used for the treatment and prevention of all disorders, which can be treated or prevented by using PPI. In particular, the salts according to the invention and their hydrates can be used for treating gastric disorders.

The new salts of pantoprazole and (S)-pantoprazole are prepared in a manner known per se by reacting pantoprazole or (S)-pantoprazole with a suitable calcium, zinc, potassium or aluminium base, for example a calcium alkoxide, a potassium hydroxide etc., or from a readily soluble pantoprazole or (S)-pantoprazole salt (for example pantoprazole or (S)-pantoprazole sodium) using e. g. a zinc or aluminium salt in water or in mixtures of water with polar organic solvents (for example alcohols, preferably methanol, ethanol or isopropanol, or ketones, preferably acetone).

Salts suitable for use in the process are, for example, zinc chloride, calcium bromide, zinc fluoride, potassium iodide, aluminium formate, aluminium acetate, zinc propionate, calcium gluconate or potassium carbonate. It is also possible to react alkoxides (for example aluminium methoxide, zinc ethoxide, potassium (iso)propoxide or calcium butoxide) in an alcoholate medium with pantoprazole, pantoprazole sodium, (S)-pantoprazole or (S)-pantoprazole sodium and to crystallise the obtained pantoprazole or (S)-pantoprazole salts, if desired in form of their hydrates by addition of water. Furthermore, it is possible to recrystallise obtained hydrates from, e.g., methanol/water mixtures.

For use in solid, in particular oral, pharmaceutical formulations, the salts according to the invention are milled in order to obtain crystals with a particle size distribution of 90%, preferably 99 % below 100 µm.

According to the invention, "(S)-pantoprazole" is understood to include "(S)-pantoprazole, substantially free of the (R)-enantiomer". "Substantially free" in this context means that (S)-pantoprazole contains less than 10 % by weight of (R)-pantoprazole. Preferably, "substantially free" means that (S)-pantoprazole contains less than 5 % by weight of (R)-pantoprazole. In the most preferred embodiment, "substantially free" means that (S)-pantoprazole contains less than 1 % by weight of (R)-pantoprazole.

Commercial utility

The pantoprazole and (S)-pantoprazole salts and their hydrates have useful pharmacological properties, rendering them commercially utilizable. In particular, they have a pronounced inhibitory effect on the secretion of gastric acid and excellent gastrointestinal protective action in warm-blooded animals, in particular man. Here, the compounds according to the invention are distinguished by a highly selective action, an advantageous duration of action, a particularly high bioavailability, a metabolism profile that is uniform among different individuals, the lack of significant side-effects and a wide therapeutic spectrum.

In this context, "gastrointestinal protection" is to be understood as the prevention and treatment of gastrointestinal disorders; in particular gastrointestinal inflammatory disorders and lesions (such as, for example, Ulcus ventriculi, Ulcus duodeni, gastritis, irritable bowel owing to an increased production of acid or as a result of medicaments, GERD, Crohn's disease, IBD) which may be caused, for example, by microorganisms (for example *Helicobacter pylori*), bacterial toxins, medicaments (for example certain antiplogistics and antirheumatic drugs), chemicals (for example ethanol), gastric acid or stress.

With their excellent properties, the pantoprazole and (S)-pantoprazole salts and their hydrates are, in various models for the determination of antitumorigenic and antisecretory properties, surprisingly different to prior art compounds, in particular with respect to their stability and their metabolism properties and with regard to their pharmacodynamic and pharmacokinetic characteristics and with regard to their bioavailability profile. Owing to these properties, the pantoprazole and (S)-pantoprazole salts and their hydrates seem to be highly suitable for use in human and veterinary medicine, where they are used, in particular, for the treatment and/or prophylaxis of gastrointestinal disorders.

Accordingly, the invention furthermore provides the use of the pantoprazole and (S)-pantoprazole salts according to the invention and of their hydrates for the treatment and/or prophylaxis of the abovementioned diseases.

The invention also embraces the use of the pantoprazole and (S)-pantoprazole salts according to the invention and of their hydrates for preparing medicaments used for the treatment and/or prophylaxis of the abovementioned diseases.

The invention also provides medicaments comprising the pantoprazole and (S)-pantoprazole salts according to the invention and/or their hydrates.

The medicaments are prepared by processes known per se which are familiar to the person skilled in the art. As medicaments, the pantoprazole and (S)-pantoprazole salts according to the invention and their hydrates are employed either as such or, preferably, in combination with suitable pharmaceutical auxiliaries or carriers in the form of tablets, coated tablets, capsules, suppositories, plasters (for

example as TTS), emulsions, suspensions or solutions, where the content of active compound is advantageously from about 0.1 to about 95% and where it is possible to produce pharmaceutical dosage forms (for example flow-release forms or enteric forms) which, by the appropriate choice of auxiliaries and carriers, are tailored for the active compound and/or the desired onset of action and/or the duration of action.

The auxiliaries or carriers suitable for the desired pharmaceutical formulations are known to the person skilled in the art. In addition to solvents, gel formers, suppository bases, tableting auxiliaries and other carriers for active compounds, it is possible to use, for example, antioxidants, dispersants, emulsifiers, antifoams, flavour-masking agents, preservatives, solubilizers, colorants or, in particular, permeation promoters and complex formers (for example cyclodextrins).

The pantoprazole and (S)-pantoprazole salts according to the invention and their hydrates can be administered orally, parenterally or percutaneously.

In human medicine, it has generally been found to be advantageous to administer the pantoprazole and (S)-pantoprazole salts according to the invention and their hydrates, when given orally, in a daily dose of from about 0.1 to about 2, preferably about 0.2 to about 1.5 and in particular about 0.3 to about 1.1, mg/kg of body weight [based on pantoprazole or (S)-pantoprazole, respectively], if appropriate in the form of a plurality of, preferably 1 to 4, individual doses, to obtain the desired result. For parenteral treatment, it is possible to use similar or (in particular when the active compounds are administered intravenously) generally lower dosages. The optimum dosage and the type of administration of the active compounds required in each case can easily be determined by the person skilled in the art.

A further aspect of the invention is thus a medicament, comprising a pantoprazole or (S)-pantoprazole salt according to the invention and/or its hydrate(s) together with customary auxiliaries, where the single dose comprises from about 10 to about 100 mg of pantoprazole or (S)-pantoprazole, respectively.

A further aspect of the invention is a medicament, comprising a pantoprazole or (S)-pantoprazole salt according to the invention and/or its hydrate(s) together with customary auxiliaries, where the single dose comprises from about 20 to about 80 mg of pantoprazole or (S)-pantoprazole, respectively.

A further aspect of the invention is the use of a pantoprazole or (S)-pantoprazole salt according to the invention and/or its hydrate(s) for treating gastrointestinal disorders.

A further aspect of the invention is the use of a (S)-pantoprazole salt according to the invention and/or its hydrate(s) for treating gastrointestinal disorders in patients who are slow metabolizers.

A further aspect of the invention is the use of a pantoprazole or (S)-pantoprazole salt according to the invention and/or its hydrate(s) for treating gastrointestinal disorders in patients who have a risk of drug interactions.

A further aspect of the invention is the use of a pantoprazole or (S)-pantoprazole salt according to the invention and/or its hydrate(s) for treating gastrointestinal disorders in patients who need an inhibition of acid secretion for an extended period of time.

A further aspect of the invention is a medicament for treating gastrointestinal disorders for use in patients who are slow metabolizers, comprising a (S)-pantoprazole salt according to the invention and/or its hydrate(s) together with customary auxiliaries, where the single dose comprises from about 10 to about 100 mg of (S)-pantoprazole.

A further aspect of the invention is a medicament for treating gastrointestinal disorders for use in patients who are slow metabolizers, comprising a (S)-pantoprazole salt according to the invention and/or its hydrate(s) together with customary auxiliaries, where the single dose comprises from about 20 to about 80 mg of (S)-pantoprazole.

A further aspect of the invention is a medicament for treating gastrointestinal disorders for use in patients who have a risk of drug interactions, comprising a pantoprazole or (S)-pantoprazole salt according to the invention and/or its hydrate(s) together with customary auxiliaries, where the single dose comprises from about 10 to about 100 mg of pantoprazole or (S)-pantoprazole, respectively.

A further aspect of the invention is a medicament for treating gastrointestinal disorders for use in patients who have a risk of drug interactions, comprising a pantoprazole or (S)-pantoprazole salt according to the invention and/or its hydrate(s) together with customary auxiliaries, where the single dose comprises from about 20 to about 80 mg of pantoprazole or (S)-pantoprazole, respectively.

A further aspect of the invention is a medicament for treating gastrointestinal disorders for use in patients who need an inhibition of acid secretion for an extended period of time, comprising a pantoprazole or (S)-pantoprazole salt according to the invention and/or its hydrate(s) together with customary auxiliaries, where the single dose comprises from about 10 to about 100 mg of pantoprazole or (S)-pantoprazole, respectively.

A further aspect of the invention is a medicament for treating gastrointestinal disorders for use in patients who need an inhibition of acid secretion for an extended period of time, comprising a pantoprazole or (S)-pantoprazole salt according to the invention and/or its hydrate(s) together with customary auxiliaries, where the single dose comprises from about 20 to about 80 mg of pantoprazole or (S)-pantoprazole, respectively.

If pantoprazole or (S)-pantoprazole salts according to the invention and/or hydrates thereof are to be used for treating the abovementioned diseases, the pharmaceutical preparations may also comprise one or more pharmacologically active ingredients from other groups of medicaments. Examples that may be mentioned include tranquilizers (for example from the group of the benzodiazepines, e. g., diazepam), spasmolytic drugs (e. g., bletamiverine or camylofine), anticholinergic drugs (e. g., oxyphenycyclimine or phencarbamide), local anesthetics (e. g., tetracaine or procaine), and optionally also enzymes, vitamins or amino acids.

In this context, particular emphasis is given to the combination of the compounds according to the invention with other pharmaceuticals which buffer or neutralize gastric acid or which inhibit the secretion of acid, such as, for example, antacids (such as, for example, magaldrate) or H₂ blockers (e. g., cimetidine, ranitidine), and with gastrin antagonists with the aim to enhance the main action in an additive or superadditive sense and/or to eliminate or reduce side-effects or to obtain a more rapid onset of action. Mention may also be made of the fixed or free combination with NSAIDs (such as, for example, etofenamate, diclofenac, indometacin, ibuprofen or piroxicam) for preventing the gastrointestinal damage caused by the NSAIDs, or with compounds, which modify gastrointestinal motility, or with compounds, which reduce the incidence of transient lower esophageal sphincter relaxation (TLOS), or with antibacterial substances (such as, for example, cephalosporins, tetracyclins, penicillins, macrolides, nitroimidazoles or else bismuth salt) for controlling *Helicobacter pylori*. Antibacterial combination partners that may be mentioned include, for example, mezlocillin, ampicillin, amoxicillin, cefalothin, cefoxitin, cefotaxim, imipenem, gentamycin, amikacin, erythromycin, ciprofloxacin, metronidazole, clarithromycin, azithromycin and combinations thereof (e. g., clarithromycin + metronidazole or amoxicillin + clarithromycin).

Claims

1. Calcium, potassium, zinc and aluminium salts of pantoprazole and (S)-pantoprazole, and hydrates thereof.

2. Calcium (S)-bis([5-(difluoromethoxy))-2-((3,4-dimethoxy-2-pyridinyl)methylsulphonyl)-1H-benzimidazole],
 zinc (S)-bis([5-(difluoromethoxy))-2-((3,4-dimethoxy-2-pyridinyl)methylsulphonyl)-1H-benzimidazole],
 aluminium (S)-tris([5-(difluoromethoxy))-2-((3,4-dimethoxy-2-pyridinyl)methylsulphonyl)-1H-benzimidazole],
 potassium (S)-([5-(difluoromethoxy))-2-((3,4-dimethoxy-2-pyridinyl)methylsulphonyl)-1H-benzimidazole],
 calcium bis([5-(difluoromethoxy))-2-((3,4-dimethoxy-2-pyridinyl)methylsulphonyl)-1H-benzimidazole],
 zinc bis([5-(difluoromethoxy))-2-((3,4-dimethoxy-2-pyridinyl)methylsulphonyl)-1H-benzimidazole],
 aluminium tris([5-(difluoromethoxy))-2-((3,4-dimethoxy-2-pyridinyl)methylsulphonyl)-1H-benzimidazole]
 and
 potassium ([5-(difluoromethoxy))-2-((3,4-dimethoxy-2-pyridinyl)methylsulphonyl)-1H-benzimidazole],
 and the hydrates of these compounds.

3. A pantoprazole or (S)-pantoprazole salt according to claim 1 or 2, or a hydrate thereof, with a particle size distribution of 99 % below 100 µm.

4. Medicament comprising a compound according to any of Claims 1 to 3 together with customary auxiliaries.

5. Medicament comprising a compound according to any of Claims 1 to 3 together with customary auxiliaries, where the single dose comprises from about 10 to about 100 mg of pantoprazole or (S)-pantoprazole, respectively.

6. Use of a compound according to any of Claims 1 to 3 for treating gastrointestinal disorders.

7. Use of a (S)-pantoprazole compound according to any of Claims 1 to 3 for treating gastrointestinal disorders in patients who are slow metabolizers.

8. Use of a compound according to any of Claims 1 to 3 for treating gastrointestinal disorders in patients who have a risk of drug interactions.

9. Use of a compound according to any of Claims 1 to 3 for treating gastrointestinal disorders in patients who need an inhibition of acid secretion for an extended period of time.

1278EPORD01 2004-01 01

- 10 -

Abstract

The invention relates to pantoprazole and (S)-pantoprazole salts and to medicaments comprising these compounds.

From the INTERNATIONAL BUREAU

PCT

NOTIFICATION CONCERNING
SUBMISSION OR TRANSMITTAL
OF PRIORITY DOCUMENT

(PCT Administrative Instructions, Section 411)

To:

WOLF, Ulrich
ALTANA Pharma AG
Byk-Gulden-Str. 2
78467 Konstanz
ALLEMAGNE

Date of mailing (day/month/year) 31 March 2005 (31.03.2005)	IMPORTANT NOTIFICATION
Applicant's or agent's file reference 1278WOORD01	
International application No. PCT/EP05/050334	
International publication date (day/month/year)	
	International filing date (day/month/year) 27 January 2005 (27.01.2005)
	Priority date (day/month/year) 28 January 2004 (28.01.2004)
Applicant ALTANA PHARMA AG et al	

- By means of this Form, which replaces any previously issued notification concerning submission or transmittal of priority documents, the applicant is hereby notified of the date of receipt by the International Bureau of the priority document(s) relating to all earlier application(s) whose priority is claimed. Unless otherwise indicated by the letters "NR", in the right-hand column or by an asterisk appearing next to a date of receipt, the priority document concerned was submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b).
- (If applicable)* The letters "NR" appearing in the right-hand column denote a priority document which, on the date of mailing of this Form, had not yet been received by the International Bureau under Rule 17.1(a) or (b). Where, under Rule 17.1(a), the priority document must be submitted by the applicant to the receiving Office or the International Bureau, but the applicant fails to submit the priority document within the applicable time limit under that Rule, the **attention of the applicant is directed** to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.
- (If applicable)* An asterisk (*) appearing next to a date of receipt, in the right-hand column, denotes a priority document **submitted or transmitted to the International Bureau but not in compliance with Rule 17.1(a) or (b)** (the priority document was received after the time limit prescribed in Rule 17.1(a) or the request to prepare and transmit the priority document was not submitted to the receiving Office after the applicable time limit under Rule 17.1(b)). Even though the priority document was not furnished in compliance with Rule 17.1(a) or (b), the International Bureau will nevertheless transmit a copy of the document to the designated Offices, for their consideration. In case such a copy is not accepted by the designated Office as the priority document, Rule 17.1(c) provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.

Priority date	Priority application No.	Country or regional Office or PCT receiving Office	Date of receipt of priority document
28 January 2004 (28.01.2004)	04001775.8	EP	03 March 2005 (03.03.2005)

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer Mondon Catherine
Facsimile No. +41 22 740 14 35	Facsimile No. +41 22 338 89 70 Telephone No. +41 22 338 9074